

## KEYWORDS INDEX

Volume XXIX, Part B4

ISPRS COMMISSION IV

3-line stereo scanners . . . . .	68
3D . . . . .	184, 458, 600, 809, 969, 974
3D GIS . . . . .	208, 681
3D positioning . . . . .	372
3D representation . . . . .	257
Accuracy . . . . .	19, 158, 193, 315, 365, 440, 448, 458, 493, 563, 600, 683, 836, 843
Accuracy analysis . . . . .	916
Aerial remote sensing . . . . .	739
Aerotriangulation . . . . .	5, 315, 440, 448, 458
Akima . . . . .	925
Algorithm . . . . .	563, 747, 836
Altimetry . . . . .	87
Amalgamation . . . . .	135
Analog . . . . .	537
Analytical . . . . .	19, 280, 537, 946
Analytical instruments . . . . .	485
Analytical photogrammetry . . . . .	831
Analytical plotter . . . . .	493
Animation . . . . .	710
Attributed structure primitives . . . . .	655
AutoCAD . . . . .	208, 768
Automated mapping . . . . .	801
Automatic color assignment . . . . .	580
Automatic DEM generation . . . . .	916
Automatic evaluation . . . . .	465
Automatic selection system . . . . .	883
Automatic treatments . . . . .	378
AVHRR . . . . .	381
Beta-splines . . . . .	925, 935
Biodiversity . . . . .	757
Biophysical . . . . .	757
Block adjustment . . . . .	448
Boundary representation model . . . . .	257
Break line . . . . .	77
Bundle adjustment . . . . .	585
C language . . . . .	31
CAD . . . . .	208, 208, 208, 696
Cadastral . . . . .	19, 143
Camera . . . . .	5
Camera, electronic still . . . . .	35
CARIS . . . . .	776
Cartographic . . . . .	139, 265, 346, 499, 517, 705, 754, 788, 886
Cartographic database . . . . .	569
Cartographic design . . . . .	608
Cartographic Digital systems . . . . .	252
Cartographic generalization . . . . .	135
Cartographic theory . . . . .	166
Cartographical information system . . . . .	35
Cartography . . . . .	108, 216, 309, 342, 381
CASYII . . . . .	122
Change detection . . . . .	321, 477, 569, 831
Chinese . . . . .	150
Chromatic specter . . . . .	432
Classification . . . . .	289, 342, 735

Climate factors . . . . .	50
Coastal applications . . . . .	321
Coastal zone environment . . . . .	42
Color composition . . . . .	432
Comparison of methods . . . . .	197
Composed transfer function . . . . .	77
Compromise representation . . . . .	754
Computer graphics . . . . .	216, 537, 580, 974
Computer vision . . . . .	237
Constrained matching . . . . .	358
Contour labeling . . . . .	265
Contour lines . . . . .	861, 956
Contours . . . . .	843, 980
Controls . . . . .	370
Correction géométrique . . . . .	160
Cost-effectiveness . . . . .	956
 Data capture . . . . .	10
Data consistency . . . . .	10
Data conversion . . . . .	490
Data exchange . . . . .	100, 751
Data integration . . . . .	751, 776
Data organization . . . . .	874
Data quality . . . . .	193, 563, 608, 850
Database models . . . . .	60
Database revision . . . . .	493
Databases . . . . .	139, 205, 245, 406, 477, 526, 563, 580, 655, 683, 751
DBMS . . . . .	60
DEM . . . . .	68, 87, 166, 358, 399, 425, 440, 600, 642, 817, 831, 836, 861, 878, 908, 925, 928, 935, 969, 974, 986
Deserts . . . . .	108
Developing countries . . . . .	352, 428
Digital image processing . . . . .	986
Digital mapping . . . . .	24, 60, 150, 158
Digital mosaics . . . . .	172
Digital revision methods . . . . .	557
Digital systems . . . . .	5, 193, 205
Digital terrain models . . . . .	962, 980
Digitization . . . . .	490
Directed graphs . . . . .	265
Distance transformation . . . . .	956
Document scanners . . . . .	221
Drainage basins . . . . .	817
DTED . . . . .	938
DTM . . . . .	205, 465, 642, 809, 843, 850, 868, 883, 902, 925, 946, 956
DTM, local . . . . .	861
Dunes vives . . . . .	108
 Ecologic equilibrium . . . . .	378
Ecological response . . . . .	757
Economic . . . . .	245, 499
Edaphic factor . . . . .	50
Editing . . . . .	861
Egypt . . . . .	60
Elevation extraction . . . . .	874
Elevation interpolation . . . . .	257
Elevation model . . . . .	526
Environment . . . . .	739
Error propagation . . . . .	576
Error propagation in GIS . . . . .	608
ERS-1 . . . . .	425
Expert systems . . . . .	569
Exterior orientation polynomial . . . . .	372
Extraction . . . . .	650
Extraterrestrial . . . . .	801

Facility management . . . . .	768
Feasibility . . . . .	428
Feature extraction . . . . .	365, 569, 642, 720, 908
Features . . . . .	370, 683
Fehlerentdeckung . . . . .	696
Filling information . . . . .	77
Flächenbildung . . . . .	696
Flächennetz . . . . .	696
Forest cover . . . . .	435
Forests . . . . .	713
Format . . . . .	843
Four color separation . . . . .	580
French Guiana . . . . .	418
GCP . . . . .	412
Generalization . . . . .	576, 664
Geo-information system . . . . .	500
Geo/SQL . . . . .	768
Geologic hazards map . . . . .	675
Geometric constraints . . . . .	916
Geometric correction . . . . .	399
Geometric image correction . . . . .	130
Geometric registration . . . . .	673
Geometrical accuracy . . . . .	358
Geomorphological information . . . . .	980
Geomorphology . . . . .	108
Georeferencing . . . . .	673
Getrennte Einzelflächen . . . . .	696
GIS . . . . .	42, 50, 221, 321, 418, 533, 543, 608, 616, 627, 650, 655, 673, 713, 735, 788, 868, 902, 974
GIS software . . . . .	664
GIS/IAS integration . . . . .	365
GIS/LIS . . . . .	10, 19, 100, 139, 642, 701, 705, 729, 747, 751, 781
Global GIS . . . . .	754
GPS . . . . .	5, 24, 35, 627
Graphic display . . . . .	608
Green ecology information system . . . . .	739
Greening . . . . .	739
Greening, economic output . . . . .	739
Grid-structure . . . . .	980
Ground control . . . . .	24
Grow and shrink operation . . . . .	135
Hologram 2-D correlator . . . . .	514
HSI . . . . .	122
Hybrid GIS . . . . .	776
Hybrid GIS Design . . . . .	688
Hydrology . . . . .	642
Image analysis . . . . .	87, 289, 477, 720
Image display . . . . .	776
Image interpretation . . . . .	122, 557, 701, 836
Image matching . . . . .	68, 184, 440, 465, 472, 688, 701, 801, 809, 908, 916, 946, 969
Image mosaic . . . . .	683
Image processing . . . . .	135, 172, 289, 381, 569, 776, 969
Image quality . . . . .	688
Image segmentation . . . . .	720
Inaccessible area . . . . .	412
Independent models . . . . .	585
Information . . . . .	713
Information quality . . . . .	608
Integrate . . . . .	735
Integrated system . . . . .	5, 252, 533, 776
Interpolation . . . . .	956
Interpretability . . . . .	493

Interpretation manual . . . . .	336
IRS imagery . . . . .	435
Isopleth map . . . . .	675
Japan . . . . .	50
Konturzüge . . . . .	696
Knowledge base . . . . .	580, 788
Knowledge based interpretation . . . . .	655
Land applications . . . . .	531, 729, 747, 781
Land cover mapping . . . . .	543
Land information systems . . . . .	245
Land type . . . . .	178
Land use . . . . .	122, 435
Landsat . . . . .	273, 289, 296
Landsat TM . . . . .	94, 406
Landscape change . . . . .	94
Landscape visualization . . . . .	902
Landslides . . . . .	273, 386, 650, 675
Least square image matching . . . . .	412
Line following . . . . .	237, 490
Linear features . . . . .	500
Local climate . . . . .	406
Management . . . . .	713
Manual digitizing . . . . .	197
Map data capture . . . . .	197
Map design . . . . .	166
Map revision . . . . .	10, 116, 221, 252, 352, 477, 499, 500, 514, 517, 533, 537, 543, 569 208, 768
MAPCAD . . . . .	87, 116, 139, 143, 184, 193, 216, 245, 252, 273, 315, 321, 336, 346, 381, 418, 428, 435, 451, 537, 600, 781, 836
Maps . . . . .	296
Metric . . . . .	683
Minimum error projection . . . . .	754
Model coordinates . . . . .	585
Modeling . . . . .	710
Modèle Numérique de Terrain (MNT) . . . . .	886
Monoplotting . . . . .	493
Morphologie mathématique . . . . .	108
Mosaics . . . . .	221, 309
MSS data . . . . .	386
Multi-level matching . . . . .	874
Multi-level sampling interpretation . . . . .	178
Nature chromatic . . . . .	432
Nautical charting . . . . .	507
Navigation . . . . .	507
Nitrogen loading . . . . .	817
Numerical interpolation . . . . .	925, 935
NVI . . . . .	386
Object oriented height model . . . . .	868
Object oriented system . . . . .	130
Occurrence . . . . .	675
On screen digitizing . . . . .	197
OODBMS . . . . .	616
OOP language . . . . .	616
Optical detection . . . . .	514
Orthoimage . . . . .	184, 221, 465, 533, 886
Orthophoto . . . . .	358, 600, 809
Orthophotographie . . . . .	160
Orthorectification . . . . .	130
Orthorectified . . . . .	683

<b>Overlay</b>	<b>650</b>
<b>Paleoseismic faults</b>	<b>273</b>
<b>Panoramic</b>	<b>346</b>
<b>PC based</b>	<b>490</b>
<b>Peripheral line</b>	<b>77</b>
<b>Photogrammetry</b>	<b>19, 24, 35, 68, 139, 143, 150, 193, 205, 280,</b> <b>346, 448, 472, 507, 531, 616, 788, 801, 843</b>
<b>Photointerpretation</b>	<b>108</b>
<b>Photomap</b>	<b>381</b>
<b>Pictorial information system</b>	<b>616</b>
<b>Planetable surveying system</b>	<b>208</b>
<b>Planimetric maps</b>	<b>378</b>
<b>Planimetry</b>	<b>342</b>
<b>Plant sociology</b>	<b>50</b>
<b>Plant species distribution</b>	<b>50</b>
<b>Plotter</b>	<b>205</b>
<b>Point determination</b>	<b>465</b>
<b>Points</b>	<b>370</b>
<b>Polygon overlays</b>	<b>878</b>
<b>Polynomial</b>	<b>280</b>
<b>Potential wetlands</b>	<b>817</b>
<b>Precise control</b>	<b>378</b>
<b>Preprocessing</b>	<b>399, 850</b>
<b>Principles</b>	<b>608</b>
<b>Productivity Estimate</b>	<b>1</b>
<b>Progressive sampling</b>	<b>77</b>
<b>Quality and progress control</b>	<b>35</b>
<b>Quality control</b>	<b>184</b>
<b>R:BASE</b>	<b>768</b>
<b>Radar</b>	<b>273</b>
<b>Radiometric differences</b>	<b>916</b>
<b>Railway design</b>	<b>735</b>
<b>Raster</b>	<b>31, 265, 517</b>
<b>Raster image analysis</b>	<b>655</b>
<b>Raster-vector conversion</b>	<b>490</b>
<b>Reconnaissance de formes</b>	<b>108</b>
<b>Rectification</b>	<b>15, 221, 370, 673, 809</b>
<b>Rectification DEM</b>	<b>533</b>
<b>Redressement</b>	<b>160</b>
<b>Regional</b>	<b>683</b>
<b>Régions arides</b>	<b>108</b>
<b>Registration</b>	<b>15, 533</b>
<b>Releve (Aufnahme)</b>	<b>50</b>
<b>Remote sensing</b>	<b>1, 15, 116, 216, 309, 358, 418, 735</b>
<b>Remote sensing applications</b>	<b>289, 499, 705, 781</b>
<b>Remotely sensed imagery</b>	<b>178</b>
<b>Renew</b>	<b>650</b>
<b>Resampling</b>	<b>673</b>
<b>Resolution</b>	<b>158, 938</b>
<b>Revision</b>	<b>485</b>
<b>Rock quality designation</b>	<b>675</b>
<b>Rule-based</b>	<b>31, 77</b>
<b>SAR</b>	<b>87, 425</b>
<b>Satellite image maps</b>	<b>309, 688</b>
<b>Satellite images</b>	<b>166, 428</b>
<b>Satellite remote sensing application</b>	<b>557</b>
<b>Satellites</b>	<b>346</b>
<b>Scan digitizing</b>	<b>197</b>
<b>Scanned</b>	<b>729</b>
<b>Seam smoothing</b>	<b>172</b>
<b>Seasat</b>	<b>425</b>
<b>Selective sampling</b>	<b>77</b>

Sensor modeling	130
Sensors	451
Sequential processing	31
Sigma-t	938
Simulation	94, 938
Simultaneous adjustment	372
Skeleton	956
Skeleton information	77
Slope land uses	681
Slope map	868
Smoothness	928
Soil and water engineering	710
Soil erosivity map	868
Soil loss prediction	878
Soils	296
Solid modeling method	257
Space imagery	116, 315, 381, 458, 507
Space mapping	448
Spatial	265
Spatial database	42
Spatial database queries	60
Spatial modeling	757
Specifications	336
Specifications, digital mapping	208
Spectral characteristics	296
Spectral rotation	432
SPOT	116, 122, 280, 336, 342, 352, 358, 399, 440, 465, 472, 886, 908, 916
SPOT data	557
SPOT HRV	432
SPOT imagery	372
SPOT triangulation	448
Stability rating system	675
Standard procedure	336
Standards	100, 451
Stereo matching	425
Stereophotos	273
Stereoplotting	493
Stereoscopic	184, 472, 788, 801, 908
Stereoscopy	448
Stéréoscopie	886
Superimposition	563
Surface interpolation	928
Surface plane coordinates	627
Surface representation	257
System design	962
Systems	150
Systems integration	688
Temperature	406
Temporal	683
Terrain	938
Terrestrial	531
Tessellation	956
Thematic	531
Thematic map reading	237
Thematic mapping	543, 580
Thematic maps	386
Theory	831
Thermal infrared	406
TIGRIS	868
Time trials	197
TIN-structure	980
Tolerance	158
Topographic map revision	557
Topographic maps	655

<b>Topological structure</b>	237
<b>Topology</b>	10, 60, 843, 868
<b>Traitemen t d'images</b>	160
<b>Transformation</b>	280, 673
<b>Transmission</b>	883
<b>Triangle</b>	843
<b>Triangulation</b>	928, 956
<b>Tropical forest</b>	418
<b>Unified soil classification system</b>	675
<b>Updating</b>	526, 576
<b>Urban land cover</b>	352
<b>Urban space</b>	257
<b>Vectorization</b>	31, 342
<b>Vegetation distribution</b>	50
<b>Visual interpretation</b>	435
<b>Visualization</b>	664, 938
<b>Volume computation</b>	878
<b>Zuordnung</b>	696

