

ABSOLUTE ORIENTATION OF STEREOSCOPIC CAMERAS BY ALIGNING CONTOURS IN PAIRS OF IMAGES AND REFERENCE IMAGES

B.P. Selby¹, G. Sakas¹, W.-D. Groch², U. Stilla³

¹ Medcom GmbH, Image Guided RT, Darmstadt, Germany

² Dept. of Computer Sciences, University of Applied Sciences, Darmstadt, Germany

³ Dept. of Photogrammetry and Remote Sensing, Technische Universitaet Muenchen, Muenchen, Germany

Working Groups I/2, III/1, III/4, III/5

KEY WORDS: camera orientation, contour registration, automatic alignment

ABSTRACT:

Most approaches use corresponding points to determining an object's orientation from stereo-images, but this is not always possible. Imaging modalities that do not produce correspondences for different viewing angles, as in X-ray imaging, require other procedures. Our method works on contours in images that do not need to be equivalent in length or contain corresponding points. It is able to determine corresponding contours and resamples those, creating new sets of corresponding points for registration. Two sets of in-plane transformations from a stereo-system are used to determine spatial orientation. The approach was tested with three ground truth datasets and sub-pixel accuracy was achieved. The approach is originally designed for X-ray based patient alignment, but it is versatile and can also be employed in other close range photogrammetry applications.

This contribution was selected in a double blind review process to be published within the *Lecture Notes in Computer Science* series (Springer-Verlag, Heidelberg).

Photogrammetric Image Analysis

Volume Editors: Stilla U, Rottensteiner F, Mayer H, Jutzi B, Butenuth M

LNCS Volume: 6952

Series Editors: Hutchison D, Kanade T, Kittler J, Kleinberg JM, Kobsa A, Mattern F, Mitchell JC, Naor M, Nierstrasz O, Pandu Rangan C, Steffen B, Sudan M, Terzopoulos D, Tygar D, Weikum G

ISSN: 0302-9743

The article is accessible online through www.springerlink.com.